

SYMBOLS LIST

SMART HOME PUSH BUTTONS -LIGHTING SWITCHING AND DIMMING -RAISE/LOWER CURTAINS AND BLINDS

O RECESSED LED DOWN LIGHT

o PENDANT LIGHTING

EXIT LIGHT MAINTAINED CENTRAL BATTERY TYPE

EMERGENCY LIGHT NON MAINTAINED CENTRAL BATTERY TYPE

EMERGENCY LIGHT NON MAINTAINED SELF CONTAINED TYPE WITH INTERNAL BATTERY/ INVERTER UNIT MOTION & PRESENCE SENSOR MOTION & PRESENCE SENSOR
WITH 60 MINUTES ADJUSTABLE TIME DELAY

360° MOTION & OCCUPANCY SENSOR

T/C A/C TEMPERATURE CONTROL FROM SMART HOME THERMOSTAT FOR UNDERFLOOR

HEATING FROM SMART HOME AIR CONDITIONING UNIT WITH 13A FSU

ADDRESSABLE SMOKE DETECTOR

CCTV CLOSE CIRCUIT TV CAMERA D LOUDSPEAKER ♦ PENDENT LIGHT

EMERGENCY LIGHT

LOBBY LIGHT

RECTANGLE LIGHT

STAIRCASE EMERGENCY LIGHTING

design@wkkarchitects.com www.wkkarchitects.com tel: +44(0) 1403259405

Structural Engineering:

Costas Antoniou 10 Tefkrou Anthia Street Dali Industrial Zone P.O.Box 21653, 1511 Nicosia Tel. +357 22 741300 Fax +357 22 741400 email: cantoniou@cybarco.com

Local Structural Engineering:

.\Logos\EVRIPIDOU.jpg Logos\JPG_WHITE.JPG .\Logos\logo-2015.jpg

Mechanical & Energy Engineering: Electrical Engineering:

YFANTIS ENGINEERING

Greece Tel: +30 2106018680 Fax: +30 2106018682 info@yfantis-engineering.gr www.yf-eng.gr Interior Designer:

.Logos\SIDE TO SIDE LOGO.jpg

FPC

Fire Engineering:

GENERAL NOTES

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTURAL & STRUCTURAL

SPECIFICATIONS & SCHEDULES.

- DRAWINGS.

 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT BUILDING SERVICES DRAWINGS & THE RELEVANT SECTIONS OF THE
- THIS DRAWING IS NOT SCALED. 4. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE STATED.
- 5. THE DRAWING DOES NOT INDICATE THE PRESENCE OF ALL SERVICES AND IS TO BE READ IN CONJUNCTION WITH THE MECHANICAL SERVICES SPECIFICATION
- AND DRAWINGS.

 6. ANY DISCREPANCY BETWEEN ELEMEC-GBC M&E DESIGN DOCUMENTATION; ARCHITECTS LAYOUTS AND STATUTORY REGULATIONS REQUIRE IMMEDIATE NOTIFICATION TO THE ENGINEER.
 7. THE ELECTRICAL INSTALLATIONS SHALL BE CARRIED OUT IN ACCORDANCE WITH THE IET WIRING REGULATIONS BS 7671: 2008 (17th EDITION, 3rd AMENDMENT 2015, TO BE IN FORCE IN CYPRUS IN 2017), THE ELECTRICITY AUTHORITY OF CYPRUS AND THE ELECTROMECHANICAL SERVICES DEPARTMENT OF THE MINISTRY OF COMMUNICATIONS AND WORK STATUTORY REGULATIONS, ALL IN
- 8. POWER SUPPLIES & CONTROLS FOR THE HVAC FAN COIL UNITS & U/F HEATING WILL BE AS PER MECHANICAL DESIGNS. ONLY THE APARTMENTS AIR CONDITIONING SYSTEM SHALL BE REMOTELY OPERATED FROM THE APARTMENT'S SMART TOUCH SCREEN.

STANDARDS.

ACCORDANCE TO THE RELEVANT EN, CEN, CENELEC (EU) CYS, IEC REGULATIONS AND ISO QUALITY

- 9. PROVIDE SEPARATE 20mm PVC EMPTY CONDUIT FROM EACH BEDROOM, LOUNGE, KITCHEN AND BATHROOMS THROUGH TO THE SYSTEM CUPBOARDS FOR THE LOUD SPEAKERS AND VOLUME CONTROL OF THE AUDIO AND VISION
- 10. ALL ELECTRICAL CABLING AND WIRING OF THE APARTMENTS LIGHTING, POWER AND SYSTEMS OUTLETS AND CONTROL DEVICES SHALL BE INSTALLED IN UPVC CONDUITS THROUGH THE FALSE CEILINGS AND PARTITION WALLS OR BRICK WALLS AND NOT THROUGH THE
- FLOOR SCREEDS.

 11. PROVISION FOR FACADE LIGHTING 24 V FROM FACADE D/B (THE LIGHTING CONTROL SHALL BE FROM THE COMMONS CENTRAL LIGHTING CONTROL). THE FINAL DESIGN SHALL BE PROVIDED FOLLOWING THE LIGHTING DESIGNERS DRAWINGS.

Rev	Date	Description	Drawn	Checked
01	15/12/2017		N.A	C.
				SINNI
Proj	ect:			

TRILOGY Limassol Seafront

Scale: 1:100@ A1 Issued:

LH Limassol Seafront Ltd. Agias Fylaxeos, 118 Christabel House Limassol 3087 Cyprus

NORTH TOWER
PROPOSED ELECTRICAL LIGHTING AN 04 GYM LEVEL 03 LAYOUT

status: suitability description:

revision: revision description: